MATERIAL SAFETY DATA SHEET

1. SUBSTANCE AND SOURCE IDENTIFICATION National Institute of Standards and Technology SRM Number: 994 **Standard Reference Materials Program** MSDS Number: 994 100 Bureau Drive, Stop 2320 SRM Name: Isotopic Standard for Gallium Gaithersburg, Maryland 20899-2320 Date of Issue: 01 September 2004 **MSDS Coordinator: Carmen Davis Emergency Telephone ChemTrec:** Telephone: 301-975-6776 1-800-424-9300 (North America) FAX: 301-926-4751 +1-703-527-3887 (International) E-mail: SRMMSDS@nist.gov **Description:** Standard Reference Material (SRM) 994 is intended for use as an isotopic standard. A unit of SRM 994 consists of a 0.25 g of commercial, high-purity gallium metal. **Substance:** Gallium Other Designations: Gallium (gallium metal; gallium element) 2. Composition and Information on Hazardous Ingredients **Component:** Gallium **CAS Number:** 7440-55-3 **EINECS:** 231-163-8 **SRM Nominal Concentration (mass %):** 100 **EC Classification:** None listed. **EC Risk:** None listed. **EC Safety:** None listed. 3. HAZARDS IDENTIFICATION NFPA Ratings (Scale 0–4): Health = 1Fire = 0Reactivity = 0**Major Health Hazards:** No significant target effects reported. **Potential Health Effects** Inhalation: Inhalation may cause irritation of the mucous membranes. No data is available for chronic exposure. **Skin Contact:** Skin contact may cause irritation. No data is available for chronic exposure. **Eye Contact:** Eye contact may cause irritation. No data is available for chronic exposure. **Ingestion:** Gallium is poorly absorbed by the gastrointestinal tract. No data is available for chronic exposure.

4. FIRST AID MEASURES

Listed as a Carcinogen/ Potential Carcinogen:

Skin Contact: Rinse affected area with copious amounts of water for at least 15 minutes while

removing contaminated clothing. Obtain medical assistance if necessary.

In the National Toxicology Program (NTP) Report on Carcinogens. In the International Agency for Research on Cancer (IARC) Monographs.

By the Occupational Safety and Health Administration (OSHA).

MSDS 994 Page 1 of 4

No

Yes

Eye Contact: Immediately flush eyes, including under the eyelids, with copious amounts of

water for at least 15 minutes. Obtain medical assistance immediately.

Inhalation: If adverse effects occur, remove to uncontaminated area. Give artificial

respiration if not breathing by qualified personnel. Get immediate medical

attention.

Ingestion: If a large amount is swallowed, obtain immediate medical assistance.

5. FIRE FIGHTING MEASURES

Fire and Explosion Hazards: Gallium is a negligible fire hazard.

Extinguishing Media: Use regular dry chemical, carbon dioxide, water, or regular foam.

Fire Fighting: DO NOT touch spilled material. Move container from fire area if it can be done

without risk. Cool containers with water spray until well after the fire is out. Use extinguishing agents appropriate for surrounding fire. Do not get water directly on material. Apply water from a protected location or from a safe

distance. Avoid inhalation of material or combustion by-products.

Flash Point (°C): Not applicable.

Method Used: Not applicable.

Autoignition Temp. (°C): Not applicable.

Flammability Limits in Air

UPPER (Volume %): Not applicable. **LOWER (Volume %):** Not applicable.

6. ACCIDENTAL RELEASE MEASURES

Occupational Release: DO NOT touch spilled material. Move containers away from spill to a safe

area. Absorb with sand or other non-combustible material. Collect spilled

material in appropriate container for disposal.

Disposal: Refer to Section 13, "Disposal Considerations".

7. HANDLING AND STORAGE

Storage: Store and handle in accordance with all current regulations and standards. When

not in use, store SRM 994 in a manner that provides equivalent or better protection against loss or damage. Keep separated from incompatible

substances.

Safe Handling Precautions: See Section 8, "Exposure Controls and Personal Protection".

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Limits: Gallium

No occupational limits established.

Ventilation: Use a local exhaust ventilation system. Ensure compliance with applicable

exposure limits.

Respirator: For conditions of frequent use or heavy exposure where exposure is apparent

and engineering controls are not feasible, respirator protection may be needed. Refer to the "NIOSH Guide to the Selection and Use of Particulate Respirators Certified under 42 CFR 84" for selection and use of respirators certified by

NIOSH.

Eye Protection: Wear safety goggles. DO NOT wear contact lenses in the laboratory. An eye

wash station should be readily available near areas of use.

Personal Protection: Wear appropriate protective clothing and chemically resistant gloves to prevent

skin exposure.

MSDS 994 Page 2 of 4

9. PHYSICAL AND CHEMICAL PROPERTIES **Component:** Gallium Blue, white color. Odorless. Moisture-sensitive material causing change in **Appearance and Odor:** appearance. Relative Molecular Weight: 69.72 g/mol **Molecular Formula:** Ga **Density:** 5.9 g/cm^3 **Solvent Solubility:** Soluble in acids. Slightly soluble in mercury. **Insoluble** in alkali. Water Solubility: Insoluble. 30 °C **Melting Point:** 10. STABILITY AND REACTIVITY **Stability:** X Stable Unstable Stable at normal temperatures and pressure. **Conditions to Avoid:** Avoid heat, flames, sparks and other sources of ignition. **Incompatible Materials:** Gallium is incompatible with acids, bases, halogens and oxidizing materials. Contact with halogens causes a violent exothermic reaction. Contact with hydrogen peroxide and hydrochloric acid will produce an explosively violent See Section 5, "Fire Fighting Measures". Fire/Explosion Information: **Hazardous Decomposition:** Hydrogen. **Hazardous Polymerization:** Will Occur X Will Not Occur 11. TOXICOLOGICAL INFORMATION **Route of Entry:** X Skin X Inhalation Ingestion Human lymphocyte DNA inhibition: 480 µmol/L **Mutagenic Data: Medical Conditions** Aggravated by Exposure: No data available. **Health Effects** (Acute and Chronic): See Section 3: "Hazards Identification" for potential health effects. 12. ECOLOGICAL INFORMATION **Ecotoxicity Data:** No data available. 13. DISPOSAL CONSIDERATIONS Waste Disposal: Dispose in accordance with all applicable federal, state, and local regulations. 14. Transportation Information **U.S. DOTand IATA:** Gallium; UN2803; Hazard Class 8; Packing Group III; Label Requirements 8. **Canadian Transportation or Dangerous Goods:** Gallium; UN2803; Class 8; Packing Group/Risk Group III. **Land Transport** ADR and RID: Gallium; UN2803; Class 8; Classification Code C10; Packing Group III; Labels 8. **Maritime Transport:** Gallium; UN2803; Class/Division 8; Labels 8; Packing Group III.

MSDS 994 Page 3 of 4

15. REGULATORY INFORMATION

U.S. Regulations: CERCLA Sections 102a/103 (40 CFR 302.4): Not regulated.

SARA Title III Sections 302, 304, 313: Not regulated.
OSHA Process Safety (29 CFR 1910.119): Not regulated.

California Proposition 65: Not regulated.

SARA Title III Sections 311/312 Hazardous Categories (40 CFR 370.21):

ACUTE: No. CHRONIC: No. FIRE: No. REACTIVE: No.

SUDDEN RELEASE: No.

CANADIAN Regulations: WHMIS Classification: Not determined.

EUROPEAN Regulations: EC Classification: Not determined.

National Inventory Status

U.S. Inventory (TSCA): Listed on inventory.

TSCA 12 (b)

Export Notification: Not listed.

16. OTHER INFORMATION

Sources: MDL Information Systems, Inc., MSDS Gallium, 19 March 2003.

Disclaimer: Physical and chemical data contained in this MSDS are provided only for use as a guide in assessing the hazardous nature of the material. The MSDS was prepared carefully, using current references; however, NIST does not certify the data in the MSDS. The certified values for this material are given in the NIST Certificate of Analysis.

MSDS 994 Page 4 of 4